

Topics:


- Structured Representations
- Recurrent neural networks

CS 4644-DL / 7643-A
ZSOLT KIRA


- **Assignment 3**
- **Projects**
 - Project proposal due **March 17th**
- **Meta Office Hours on Language Models Friday 2pm EST**

Module 3


Introduction




**Fully Connected
Neural Networks**




**Convolutional Neural
Networks**



**Recurrent Neural
Networks**







**Attention-Based
Networks**





**Graph-Based
Networks**

The Space of Architectures



Recurrent Neural Networks & Transformers

New Topic: RNNs



(C) Dhruv Batra

Image Credit: Andrei Karpathy



Why model sequences?




Figure Credit: Carlos Guestrin

Sequences are everywhere...

Foreign Minister. → FOREIGN MINISTER.


 → THE SOUND OF

$a_1=2$ $a_2=0$ $a_3=1$ $a_4=3$ $a_5=4$ $a_6=2$ $a_7=5$
 $x =$ bringen sie bitte das auto zurück .
 $y =$ please return the car .

Sequences in Input or Output?

- It's a spectrum...

one to one



Input: No
sequence


Output: No
sequence

Example:
"standard"
classification

/
regression
problems

Sequences in Input or Output?


- It's a spectrum...



Sequences in Input or Output?


- It's a spectrum...

one to one




Input: No sequence
Output: No sequence
Example: "standard" classification / regression problems

one to many



Input: No sequence
Output: Sequence
Example: Im2Caption


many to one



Input: Sequence
Output: No sequence
Example: sentence classification, multiple-choice question answering
Image Credit: Andrej Karpathy


Sequences in Input or Output?

- It's a spectrum...




What's wrong with MLPs?

- Problem 1: Can't model sequences
 - Fixed-sized Inputs & Outputs
 - No temporal structure



What's wrong with MLPs?

- Problem 1: Can't model sequences
 - Fixed-sized Inputs & Outputs
 - No temporal structure
- Problem 2: Pure feed-forward processing
 - No “memory”, no feedback




3 Key Ideas

- The notion of memory (state)
 - We want to propagate information across the sequence
 - We will do this with *state*, represented by a vector (embedding/representation)
 - Just as a CNN represents an image with the final hidden vector/embedding before the final classifier

3 Key Ideas

- The notion of memory (state)
- Parameter Sharing
 - in computation graphs = adding gradients


Computational Graph



(C) Dhruv Batra

Slide Credit: Marc'Aurelio Ranzato

Gradients add at branches



3 Key Ideas


- The notion of memory (state)
- Parameter Sharing
 - in computation graphs = adding gradients
- “Unrolling”
 - in computation graphs with parameter sharing

New Words


- Recurrent Neural Networks (RNNs)
- Recursive Neural Networks
 - General family; think graphs instead of chains
- Types:
 - “Vanilla” RNNs (Elman Networks)
 - Long Short Term Memory (LSTMs)
 - Gated Recurrent Units (GRUs)
 - ...
- Algorithms
 - BackProp Through Time (BPTT)
 - BackProp Through Structure (BPTS)

Recurrent Neural Network

- Idea: Input is a **sequence** and we will process it sequentially through a neural network module with *state*
- For each timestep (element of sequence):




Recurrent Neural Network



(Vanilla) Recurrent Neural Network

The state consists of a single “hidden” vector \mathbf{h} :



$$y_t = W_{hy}h_t + b_y$$


$$h_t = f_W(h_{t-1}, x_t)$$



$$h_t = \tanh(W_{hh}h_{t-1} + W_{xh}x_t + b_h)$$

(Vanilla) Recurrent Neural Network

The state consists of a single “hidden” vector h :



$$y_t = W_{hy}h_t + b_y$$


$$\begin{aligned} h_t &= \tanh(W_{hh}h_{t-1} + W_{hx}x_t) \\ &= \tanh\left(\begin{pmatrix} W_{hh} & W_{hx} \end{pmatrix} \begin{pmatrix} h_{t-1} \\ x_t \end{pmatrix}\right) \\ &= \tanh\left(W \begin{pmatrix} h_{t-1} \\ x_t \end{pmatrix}\right) \end{aligned}$$

Recurrent Neural Network

We can process a sequence of vectors \mathbf{x} by applying a **recurrence formula** at every time step:

$$\boxed{h_t} = \boxed{f_W}(\boxed{h_{t-1}}, \boxed{x_t})$$

new state / some function with parameters W / old state / input vector at some time step




Recurrent Neural Network


We can process a sequence of vectors \mathbf{x} by applying a **recurrence formula** at every time step:

$$h_t = f_W(h_{t-1}, x_t)$$


Notice: the same function and the same set of parameters are used at every time step.




RNN: Computational Graph



RNN: Computational Graph




RNN: Computational Graph




RNN: Computational Graph


Re-use the same weight matrix at every time-step




RNN: Computational Graph: Many to Many




RNN: Computational Graph: Many to Many




RNN: Computational Graph: Many to Many



RNN: Computational Graph: Many to One




RNN: Computational Graph: One to Many



Sequence to Sequence: Many-to-one + one-to-many


Many to one: Encode input sequence in a single vector



Sequence to Sequence: Many-to-one + one-to-many

Many to one: Encode input sequence in a single vector


One to many: Produce output sequence from single input vector



Example: Character-level Language Model

Vocabulary:
[h,e,l,o]

Example training
sequence:
“hello”




Example: Character-level Language Model

Vocabulary:
[h,e,l,o]


Example training
sequence:
“hello”

$$h_t = \tanh(W_{hh}h_{t-1} + W_{xh}x_t + b_h)$$



Distributed Representations Toy Example

- Can we interpret each dimension?



Power of distributed representations!


Local ● ● ○ ● = VR + HR + HE = ?

Distributed ● ● ○ ● = V + H + E ≈ ○

Example: Character-level Language Model

Vocabulary:
[h,e,l,o]

Example training
sequence:
“hello”




Training Time: MLE / “Teacher Forcing”

Example: Character-level Language Model

Vocabulary:
[h,e,l,o]

Example training
sequence:
“hello”




Test Time: Sample / Argmax / Beam Search

Example: Character-level Language Model Sampling

Vocabulary:
[h,e,l,o]

At test-time sample
characters one at a
time, feed back to
model




Test Time: Sample / Argmax / Beam Search

Example: Character-level Language Model Sampling

Vocabulary:
[h,e,l,o]

At test-time sample
characters one at a
time, feed back to
model




Test Time: Sample / Argmax / Beam Search

Example: Character-level Language Model Sampling

Vocabulary:
[h,e,l,o]

At test-time sample
characters one at a
time, feed back to
model





Test Time: Sample / Argmax / Beam Search

Example: Character-level Language Model Sampling

Vocabulary:
[h,e,l,o]


At test-time sample
characters one at a
time, feed back to
model






Backpropagation through time

Forward through entire sequence to compute loss, then backward through entire sequence to compute gradient




Truncated Backpropagation through time




Run forward and backward through chunks of the sequence instead of whole sequence

Truncated Backpropagation through time



Truncated Backpropagation through time



min-char-rnn.py gist: 112 lines of Python

```
1 # Minimal character-level Vanilla RNN model. Written by Andrej Karpathy (@karpathy)
2 BSD License
3 ***
4 import numpy as np
5
6 # Data I/O
7 data = open('input.txt', 'r').read() # should be single plain text file
8 chars = list(set(data))
9 data_size, vocab_size = len(data), len(chars)
10 print 'data has %d characters, %d unique.' % (data_size, vocab_size)
11 char_to_ix = { ch:i for i,ch in enumerate(chars) }
12 ix_to_char = { i:ch for i,ch in enumerate(chars) }
13
14 # Hyperparameters
15 hidden_size = 100 # size of hidden layer of neurons
16 seq_length = 25 # number of steps to unroll the RNN for
17 learning_rate = 1e-3
18
19 # Model parameters
20 wnh = np.random.randn(hidden_size, vocab_size)*0.01 # input to hidden
21 whh = np.random.randn(hidden_size, hidden_size)*0.01 # hidden to hidden
22 why = np.random.randn(vocab_size, hidden_size)*0.01 # hidden to output
23 bh = np.zeros((hidden_size, 1)) # hidden bias
24 by = np.zeros((vocab_size, 1)) # output bias
25
26 def lossFun(inputs, targets, hprev):
27     """
28     inputs, targets are both list of integers
29     hprev is last array of initial hidden state
30     returns the loss, gradients on model parameters, and last hidden state
31     """
32     xs, hs, ys, ps = {}, {}, {}, {}
33     hs[-1] = np.copy(hprev)
34     loss = 0
35     # Forward pass
36     for t in xrange(len(inputs)):
37         xi[i] = np.zeros((vocab_size, 1)) # encode in 1-of-N representation
38         xi[inputs[t]] = 1
39         hs[t] = np.tanh(np.dot(wnh, xi[t]) + np.dot(whh, hs[t-1]) + bh) # hidden state
40         yi[i] = np.dot(why, hs[t]) + by # unnormalized log probabilities for next chars
41         pi[i] = np.exp(yi[i]) / np.sum(np.exp(yi[i])) # probabilities for next chars
42         loss += -np.log(pi[i][targets[t]]) # softmax (cross-entropy) loss
43     # Backward pass: compute gradients going backwards
44     dwh, dwhh, dwhy = np.zeros_like(wnh), np.zeros_like(whh), np.zeros_like(why)
45     dby, dby = np.zeros_like(bh), np.zeros_like(by)
46     dtheta = np.zeros_like(hs[0])
47     for t in reversed(range(len(inputs))):
48         dy = np.copy(pi[t])
49         dy[targets[t]] -= 1 # backprop into y
50         dwhy += np.dot(dy, hs[t].T)
51         dby += dy
52         dh = np.dot(why.T, dy) + dtheta # backprop into h
53         dthru = [-1, hs[t] * hs[t]] * dh # backprop through tanh nonlinearity
54         dwh += np.dot(dthru, xi[t].T)
55         dwhh += np.dot(dthru, hs[t-1].T)
56         dwh += np.dot(dthru, xi[t].T)
57         dtheta = np.dot(dwh.T, dthru)
58     for dparam in [dwh, dwhh, dwhy, dby, dh]:
59         np.clip(dparam, -5, 5, out=dparam) # clip to mitigate exploding gradients
60     return loss, dwh, dwhh, dwhy, dby, hs[len(inputs)-1]
```

```
61 def sample(h, seed_ix, n):
62     """
63     sample a sequence of integers from the model
64     h is memory state, seed_ix is seed letter for first time step
65     """
66     x = np.zeros((vocab_size, 1))
67     [seed_ix] = 1
68     ixes = []
69     for t in xrange(n):
70         h = np.tanh(np.dot(wnh, x) + np.dot(whh, h) + bh)
71         y = np.dot(why, h) + by
72         p = np.exp(y) / np.sum(np.exp(y))
73         ix = np.random.choice(range(vocab_size), p=p.ravel())
74         x = np.zeros((vocab_size, 1))
75         x[ix] = 1
76         ixes.append(ix)
77     return ixes
78
79 # Main
80 n, p, q = 0, 0, 0
81 mwh, mwhh, mwhy = np.zeros_like(wnh), np.zeros_like(whh), np.zeros_like(why)
82 mwh, mwhy = np.zeros_like(mwh), np.zeros_like(mwhy) # memory variables for Adagrad
83 smooth_loss = -np.log(1.0/vocab_size)*seq_length # loss at iteration 0
84 while True:
85     # Prepare inputs (we're sampling from left to right in steps seq_length long)
86     if p+seq_length >= len(data) or n == 0:
87         hprev = np.zeros((hidden_size, 1)) # reset RNN memory
88         p = 0 # go from start of data
89         inputs = [char_to_ix[ch] for ch in data[p:p+seq_length]]
90         targets = [char_to_ix[ch] for ch in data[p+1:p+seq_length+1]]
91     # Sample from the model now and then
92     if n % 100 == 0:
93         sample_ix = sample(hprev, inputs[0], 200)
94         txt = ''.join(ix_to_char[ix] for ix in sample_ix)
95         print "----%s%s-----" % (txt, )
96     # Forward seq_length characters through the net and fetch gradient
97     loss, dwh, dwhh, dwhy, dh, dby, hprev = lossFun(inputs, targets, hprev)
98     smooth_loss = smooth_loss * 0.999 + loss * 0.001
99     if n % 100 == 0: print 'iter %d, loss: %f' % (n, smooth_loss) # print progress
100
101 # Perform parameter update with Adagrad
102 for param, dparam, mem in zip([wnh, whh, why, bh, by],
103                             [dwh, dwhh, dwhy, dh, dby]):
104     mem += dparam * dparam
105     param += -learning_rate * dparam / np.sqrt(mem + 1e-8) # adagrad update
106
107 n += seq_length # adv data pointer
108 n += 1 # iteration counter
```

(<https://gist.github.com/karpathy/d4dee566867f8291f086>)




Slur Credit: Fei-Fei Li, Justin Johnson, Serena Yeung, CS 231n

THE SONNETS

by William Shakespeare

From fairest creatures we desire increase,
That thereby beauty's rose might never die,
But as the ripper should by time decease,
His tender heir might bear his memory:
But thou, contracted to thine own bright eyes,
Feed'st thy light's flame with self-substantial fuel,
Making a famine where abundance lies,
Thyself thy foe, to thy sweet self too cruel:
Thou that art now the world's fresh ornament,
And only herald to the gaudy spring,
Within thine own bud buriest thy content,
And tender churl mak'st waste in niggarding:
Pity the world, or else this glutton be,
To eat the world's due, by the grave and thee.

When forty winters shall besiege thy brow,
And dig deep trenches in thy beauty's field,
Thy youth's proud livery so gazed on now,
Will be a tatter'd weed of small worth held:
Then being asked, where all thy beauty lies,
Where all the treasure of thy lusty days;
To say, within thine own deep sunken eyes,
Were an all-eating shame, and thriftless praise.
How much more praise deserv'd thy beauty's use,
If thou couldst answer 'This fair child of mine
Shall sum my count, and make my old excuse,'
Proving his beauty by succession thine!
This were to be new made when thou art old,
And see thy blood warm when thou feel'st it cold.



at first:

tyntd-iafhatawiaoihrdemot lytdws e ,tfti, astai f ogoh eoase rrranbyne 'nhthnee e
plia tklrqd t o idoe ns,smtt h ne etie h,hregtrs nigtike,aoaenns lng



train more

"Tmont thithey" fomesscerliund
Keushey. Thom here
sheulke, anmerenith ol sivh I lalterthend Bleipile shuwv fil on aseterlome
coaniogennc Phe lism thond hon at. MeiDimorotion in ther thize."



train more

Aftair fall unsuch that the hall for Prince Velzonski's that me of
her hearly, and behs to so arwage fiving were to it beloge, pavu say falling misfort
how, and Gogition is so overelical and offer.



train more

"Why do what that day," replied Natasha, and wishing to himself the fact the
princess, Princess Mary was easier, fed in had oftened him.
Pierre aking his soul came to the packs and drove up his father-in-law women.

PANDARUS:

Alas, I think he shall be come approached and the day
When little strain would be attain'd into being never fed,
And who is but a chain and subjects of his death,
I should not sleep.

Second Senator:

They are away this miseries, produced upon my soul,
Breaking and strongly should be buried, when I perish
The earth and thoughts of many states.

DUKE VINCENTIO:

Well, your wit is in the care of side and that.

Second Lord:

They would be ruled after this chamber, and
my fair nudes begun out of the fact, to be conveyed,
Whose noble souls I'll have the heart of the wars.

Clown:

Come, sir, I will make did behold your worship.

VIOLA:

I'll drink it.


VIOLA:

Why, Salisbury must find his flesh and thought
That which I am not apt, not a man and in fire,
To show the reining of the raven and the wars
To grace my hand reproach within, and not a fair are hand,
That Caesar and my goodly father's world;
When I was heaven of presence and our fleets,
We spare with hours, but cut thy council I am great,
Murdered and by thy master's ready there
My power to give thee but so much as hell:
Some service in the noble bondman here,
Would show him to her wine.

KING LEAR:

O, if you were a feeble sight, the courtesy of your law,
Your sight and several breath, will wear the gods
With his heads, and my hands are wonder'd at the deeds,
So drop upon your lordship's head, and your opinion
Shall be against your honour.

The Stacks Project: open source algebraic geometry textbook



The screenshot shows the Stacks Project website. At the top, there is a navigation bar with links: [home](#), [about](#), [tags explained](#), [tag lookup](#), [browse](#), [search](#), [bibliography](#), [recent comments](#), [blog](#), and [add slogans](#). Below this is a section titled "Browse chapters" which contains a table with columns for "Part", "Chapter", "online", "TeX source", and "view pdf". The table lists 10 chapters under the "Preliminaries" part. To the right of the table is a "Parts" section with a numbered list of 8 items: 1. Preliminaries, 2. Schemes, 3. Topics in Scheme Theory, 4. Algebraic Spaces, 5. Topics in Geometry, 6. Deformation Theory, 7. Algebraic Stacks, and 8. Miscellany. Below the "Parts" section is a "Statistics" section stating "The Stacks project now consists of" followed by three bullet points: 455910 lines of code, 14221 tags (56 inactive tags), and 2366 sections.

Part	Chapter	online	TeX source	view pdf
Preliminaries	1. Introduction	online	tex	pdf
	2. Conventions	online	tex	pdf
	3. Set Theory	online	tex	pdf
	4. Categories	online	tex	pdf
	5. Topology	online	tex	pdf
	6. Sheaves on Spaces	online	tex	pdf
	7. Sites and Sheaves	online	tex	pdf
	8. Stacks	online	tex	pdf
	9. Fields	online	tex	pdf
	10. Commutative Algebra	online	tex	pdf

Latex source

<http://stacks.math.columbia.edu/>

The stacks project is licensed under the [GNU Free Documentation License](#)

For $\bigoplus_{n=1, \dots, m}$ where $\mathcal{L}_{m_*} = 0$, hence we can find a closed subset \mathcal{H} in \mathcal{H} and any sets \mathcal{F} on X , U is a closed immersion of S , then $U \rightarrow T$ is a separated algebraic space.

Proof. Proof of (1). It also start we get

$$S = \text{Spec}(R) = U \times_X U \times_X U$$

and the comparicoly in the fibre product covering we have to prove the lemma generated by $\coprod Z \times_U U \rightarrow V$. Consider the maps M along the set of points Sch_{fppf} and $U \rightarrow U$ is the fibre category of S in U in Section, ?? and the fact that any U affine, see Morphisms, Lemma ???. Hence we obtain a scheme S and any open subset $W \subset U$ in $\text{Sh}(G)$ such that $\text{Spec}(R') \rightarrow S$ is smooth or an

$$U = \bigcup U_i \times_{S_i} U_i$$

which has a nonzero morphism we may assume that f_i is of finite presentation over S . We claim that $\mathcal{O}_{X,x}$ is a scheme where $x, x', s'' \in S'$ such that $\mathcal{O}_{X,x'} \rightarrow \mathcal{O}_{X',x''}$ is separated. By Algebra, Lemma ?? we can define a map of complexes $\text{GL}_{S'}(x'/S'')$ and we win. \square

To prove study we see that $\mathcal{F}|_U$ is a covering of \mathcal{X}' , and \mathcal{T}_i is an object of $\mathcal{F}_{X/S}$ for $i > 0$ and \mathcal{F}_p exists and let \mathcal{F}_i be a presheaf of \mathcal{O}_X -modules on \mathcal{C} as a \mathcal{F} -module. In particular $\mathcal{F} = U/\mathcal{F}$ we have to show that

$$\widetilde{M}^\bullet = \mathcal{I}^\bullet \otimes_{\text{Spec}(k)} \mathcal{O}_{S,s} - i_X^{-1} \mathcal{F}$$

is a unique morphism of algebraic stacks. Note that

$$\text{Arrows} = (\text{Sch}/S)_{fppf}^{opp}, (\text{Sch}/S)_{fppf}$$

and

$$V = \Gamma(S, \mathcal{O}) \mapsto (U, \text{Spec}(A))$$

is an open subset of X . Thus U is affine. This is a continuous map of X is the inverse, the groupoid scheme S .

Proof. See discussion of sheaves of sets. \square

The result for prove any open covering follows from the less of Example ???. It may replace S by $X_{spaces, \acute{e}tale}$ which gives an open subspace of X and T equal to S_{Zar} , see Descent, Lemma ???. Namely, by Lemma ?? we see that R is geometrically regular over S .

Lemma 0.1. Assume (3) and (3) by the construction in the description.

Suppose $X = \lim |X|$ (by the formal open covering X and a single map $\text{Proj}_X(\mathcal{A}) = \text{Spec}(B)$ over U compatible with the complex

$$\text{Set}(\mathcal{A}) = \Gamma(X, \mathcal{O}_{X, \mathcal{O}_X}).$$

When in this case of to show that $\mathcal{Q} \rightarrow \mathcal{C}_{Z/X}$ is stable under the following result in the second conditions of (1), and (3). This finishes the proof. By Definition ?? (without element is when the closed subschemes are catenary. If T is surjective we may assume that T is connected with residue fields of S . Moreover there exists a closed subspace $Z \subset X$ of X where U in X' is proper (some defining as a closed subset of the uniqueness it suffices to check the fact that the following theorem

(1) f is locally of finite type. Since $S = \text{Spec}(R)$ and $Y = \text{Spec}(R)$.

Proof. This is form all sheaves of sheaves on X . But given a scheme U and a surjective étale morphism $U \rightarrow X$. Let $U \cap U = \coprod_{i=1, \dots, n} U_i$ be the scheme X over S at the schemes $X_i \rightarrow X$ and $U = \lim_i X_i$. \square

The following lemma surjective restrocomposes of this implies that $\mathcal{F}_{x_0} = \mathcal{F}_{x_0} = \mathcal{F}_{X, \dots, 0}$.

Lemma 0.2. Let X be a locally Noetherian scheme over S , $E = \mathcal{F}_{X/S}$. Set $\mathcal{I} = \mathcal{I}_1 \subset \mathcal{I}_n$. Since $\mathcal{I}^n \subset \mathcal{I}^n$ are nonzero over $i_0 \leq \mathfrak{p}$ is a subset of $\mathcal{J}_{n,0} \circ \bar{A}_2$ works.

Lemma 0.3. In Situation ???. Hence we may assume $\mathfrak{q}' = 0$.

Proof. We will use the property we see that \mathfrak{p} is the next functor (??). On the other hand, by Lemma ?? we see that

$$D(\mathcal{O}_{X'}) = \mathcal{O}_X(D)$$

where K is an F -algebra where δ_{n+1} is a scheme over S . \square

Proof. Omitted. □

Lemma 0.1. *Let \mathcal{C} be a set of the construction.*
Let \mathcal{C} be a gerber covering. Let \mathcal{F} be a quasi-coherent sheaves of \mathcal{O} -modules. We have to show that

$$\mathcal{O}_{\mathcal{O}_X} = \mathcal{O}_X(\mathcal{L})$$

.

Proof. This is an algebraic space with the composition of sheaves \mathcal{F} on $X_{\text{étale}}$ we have

$$\mathcal{O}_X(\mathcal{F}) = \{\text{morph}_1 \times_{\mathcal{O}_X} (\mathcal{G}, \mathcal{F})\}$$

where \mathcal{G} defines an isomorphism $\mathcal{F} \rightarrow \mathcal{F}$ of \mathcal{O} -modules. □

Lemma 0.2. *This is an integer Z is injective.*

Proof. See Spaces, Lemma ?? □

Lemma 0.3. *Let S be a scheme. Let X be a scheme and X is an affine open covering. Let $\mathcal{U} \subset \mathcal{X}$ be a canonical and locally of finite type. Let X be a scheme. Let X be a scheme which is equal to the formal complex.*

The following to the construction of the lemma follows.

Let X be a scheme. Let X be a scheme covering. Let

$$b : X \rightarrow Y' \rightarrow Y \rightarrow Y' \times_X Y \rightarrow X.$$

be a morphism of algebraic spaces over S and Y .

Proof. Let X be a nonzero scheme of X . Let X be an algebraic space. Let \mathcal{F} be a quasi-coherent sheaf of \mathcal{O}_X -modules. The following are equivalent

- (1) \mathcal{F} is an algebraic space over S .
- (2) If X is an affine open covering.

Consider a common structure on X and X the functor $\mathcal{O}_X(U)$ which is locally of finite type. □

This since $\mathcal{F} \in \mathcal{F}$ and $x \in \mathcal{G}$ the diagram

$$\begin{array}{ccc}
 S & \longrightarrow & \\
 \downarrow & & \\
 \xi & \longrightarrow & \mathcal{O}_{X'} \\
 \text{gor}_s & & \uparrow \\
 & & = \alpha' \longrightarrow \\
 & & \downarrow \\
 & & = \alpha' \longrightarrow \alpha \\
 & & \text{Spec}(K_\psi)
 \end{array}
 \qquad
 \begin{array}{ccc}
 & & X \\
 & & \downarrow \\
 & & \text{MorSets} \\
 & & \text{d}(\mathcal{O}_{X'/s}, \mathcal{G})
 \end{array}$$

is a limit. Then \mathcal{G} is a finite type and assume S is a flat and \mathcal{F} and \mathcal{G} is a finite type f_* . This is of finite type diagrams, and

- the composition of \mathcal{G} is a regular sequence,
- $\mathcal{O}_{X'}$ is a sheaf of rings.

□

Proof. We have see that $X = \text{Spec}(R)$ and \mathcal{F} is a finite type representable by algebraic space. The property \mathcal{F} is a finite morphism of algebraic stacks. Then the cohomology of X is an open neighbourhood of U . □

Proof. This is clear that \mathcal{G} is a finite presentation, see Lemmas ??.

A reduced above we conclude that U is an open covering of \mathcal{C} . The functor \mathcal{F} is a “field”

$$\mathcal{O}_{X,x} \rightarrow \mathcal{F}_{\bar{x}} \rightarrow \mathcal{O}_{X'}^{-1}(\mathcal{O}_{X_{\text{étale}}}) \rightarrow \mathcal{O}_{X'}^{-1} \mathcal{O}_{X_{\lambda}}(\mathcal{O}_{X_{\eta}}^{\bar{v}})$$

is an isomorphism of covering of $\mathcal{O}_{X'}$. If \mathcal{F} is the unique element of \mathcal{F} such that X is an isomorphism.

The property \mathcal{F} is a disjoint union of Proposition ?? and we can filtered set of presentations of a scheme \mathcal{O}_X -algebra with \mathcal{F} are opens of finite type over S . If \mathcal{F} is a scheme theoretic image points. □

If \mathcal{F} is a finite direct sum $\mathcal{O}_{X_{\lambda}}$ is a closed immersion, see Lemma ???. This is a sequence of \mathcal{F} is a similar morphism.



torvalds / linux

Watch - 3,711 Star 23,054 Fork 9,141

Linux kernel source tree

520,037 commits 1 branch 420 releases 5,039 contributors

branch: master - linux / +

Merge branch 'drm-fixes' of git://people.freedesktop.org/~airlied/linux

torvalds authored 9 hours ago latest commit 4b1706927d

Documentation	Merge git://git.kernel.org/pub/scm/linux/kernel/git/hab/target-pending	6 days ago
arch	Merge branch 'x86-urgent-for-linux' of git://git.kernel.org/pub/scm/l...	a day ago
block	block: discard bdi_unregister() in favour of bdi_destroy()	9 days ago
crypto	Merge git://git.kernel.org/pub/scm/linux/kernel/git/herbert/crypto-2.6	10 days ago
drivers	Merge branch 'drm-fixes' of git://people.freedesktop.org/~airlied/linux	9 hours ago
firmware	firmware/ihex2fw.c: restore missing default in switch statement	2 months ago
fs	vfs: read file_handle only once in handle_to_path	4 days ago
include	Merge branch 'perf-urgent-for-linux' of git://git.kernel.org/pub/scm/...	a day ago
init	init: fix regression by supporting devices with major:minor:offset fo...	a month ago
io	Merge branch 'for-linus' of git://git.kernel.org/pub/scm/linux/kernel...	a month ago

<> Code

Pull requests 74

Pulse

Graphs

HTTPS clone URL

https://github.c

You can clone with HTTPS, SSH, or Subversion.

Clone in Desktop

Download ZIP



```

static void do_command(struct seq_file *m, void *v)
{
    int column = 32 << (cmd[2] & 0x80);
    if (state)
        cmd = (int)(int_state ^ (in_8(&ch->ch_flags) & Cmd) ? 2 : 1);
    else
        seq = 1;
    for (i = 0; i < 16; i++) {
        if (k & (1 << i))
            pipe = (in_use & UMXTHREAD_UNCCA) +
                ((count & 0x00000000ffffffff) & 0x0000000f) << 8;
        if (count == 0)
            sub(pid, ppc_md.kexec_handle, 0x20000000);
        pipe_set_bytes(i, 0);
    }
    /* Free our user pages pointer to place camera if all dash */
    subsystem_info = &of_changes[PAGE_SIZE];
    rek_controls(offset, idx, &soffset);
    /* Now we want to deliberately put it to device */
    control_check_polarity(&context, val, 0);
    for (i = 0; i < COUNTER; i++)
        seq_puts(s, "policy ");
}

```

Generated C code

```
/*
 * Copyright (c) 2006-2010, Intel Mobile Communications. All rights reserved.
 *
 * This program is free software; you can redistribute it and/or modify it
 * under the terms of the GNU General Public License version 2 as published by
 * the Free Software Foundation.
 *
 * This program is distributed in the hope that it will be useful,
 * but WITHOUT ANY WARRANTY; without even the implied warranty of
 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
 *
 * GNU General Public License for more details.
 *
 * You should have received a copy of the GNU General Public License
 * along with this program; if not, write to the Free Software Foundation,
 * Inc., 675 Mass Ave, Cambridge, MA 02139, USA.
 */

#include <linux/kexec.h>
#include <linux/errno.h>
#include <linux/io.h>
#include <linux/platform_device.h>
#include <linux/multi.h>
#include <linux/ckevent.h>

#include <asm/io.h>
#include <asm/prom.h>
#include <asm/e820.h>
#include <asm/system_info.h>
#include <asm/setew.h>
#include <asm/pgproto.h>
```

Slide Credit: Fei-Fei Li, Justin Johnson, Serena Yeung, CS 231n


```

#include <asm/io.h>
#include <asm/prom.h>
#include <asm/e820.h>
#include <asm/system_info.h>
#include <asm/setew.h>
#include <asm/pgproto.h>

#define REG_PG    vesa_slot_addr_pack
#define PFM_NOCOMP  AFSR(0, load)
#define STACK_DDR(type)      (func)


#define SWAP_ALLOCATE(nr)      (e)
#define emulate_sigs()  arch_get_unaligned_child()
#define access_rw(TST)  asm volatile("movd %%esp, %0, %3" : : "r" (0)); \
    if (__type & DO_READ)

static void stat_PC_SEC __read_mostly offsetof(struct seq_argsqueue, \
    pC>[1]);

static void
os_prefix(unsigned long sys)
{
#ifdef CONFIG_PREEMPT
    PUT_PARAM_RAID(2, sel) = get_state_state();
    set_pid_sum((unsigned long)state, current_state_str(),
        (unsigned long)-1->lr_full; low;
}

```

Searching for interpretable cells



Karpathy, Johnson, and Fei-Fei: Visualizing and Understanding Recurrent Networks, ICLR Workshop 2016

Slide Credit: Fei-Fei Li, Justin Johnson, Serena Yeung, CS 231n

Searching for interpretable cells

```
/* Unpack a filter field's string representation from user-space
 * buffer. */
char *audit_unpack_string(void **bufp, size_t *remain, size_t len)
{
    char *str;
    if (!*bufp || (len == 0) || (len > *remain))
        return ERR_PTR(-EINVAL);
    /* Of the currently implemented string fields, PATH_MAX
     * defines the longest valid length.
     */
}
```

Karpathy, Johnson, and Fei-Fei: Visualizing and Understanding Recurrent Networks, ICLR Workshop 2016

Figures copyright Karpathy, Johnson, and Fei-Fei, 2015; reproduced with permission

Searching for interpretable cells

"you mean to imply that I have nothing to eat out of... On the contrary, I can supply you with everything even if you want to give dinner parties," warmly replied Chichagov, who tried by every word he spoke to prove his own rectitude and therefore imagined Kutuzov to be animated by the same desire.

Kutuzov, shrugging his shoulders, replied with his subtle penetrating smile: "I meant merely to say what I said."

quote detection cell

Karpathy, Johnson, and Fei-Fei: Visualizing and Understanding Recurrent Networks, ICLR Workshop 2016

Figures copyright Karpathy, Johnson, and Fei-Fei, 2015; reproduced with permission

Slide Credit: Fei-Fei Li, Justin Johnson, Serena Yeung, CS 231n

Searching for interpretable cells

Cell sensitive to position in line:

The sole importance of the crossing of the Berezina lies in the fact that it plainly and indubitably proved the fallacy of all the plans for cutting off the enemy's retreat and the soundness of the only possible line of action--the one Kutuzov and the general mass of the army demanded--namely, simply to follow the enemy up. The French crowd fled at a continually increasing speed and all its energy was directed to reaching its goal. It fled like a wounded animal and it was impossible to block its path. This was shown not so much by the arrangements it made for crossing as by what took place at the bridges. When the bridges broke down, unarmed soldiers, people from Moscow and women with children who were with the French transport, all--carried on by vis inertiae--pressed forward into boats and into the ice-covered water and did not, surrender.

line length tracking cell

Karpathy, Johnson, and Fei-Fei: Visualizing and Understanding Recurrent Networks, ICLR Workshop 2016

Figures copyright Karpathy, Johnson, and Fei-Fei, 2015; reproduced with permission

Searching for interpretable cells

```
static int __dequeue_signal(struct sigpending *pending, sigset_t *mask,
                           siginfo_t *info)
{
    int sig = next_signal(pending, mask);
    if (sig) {
        if (current->notifier) {
            if (sigismember(current->notifier_mask, sig)) {
                if (!(current->notifier)(current->notifier_data)) {
                    clear_thread_flag(TIF_SIGPENDING);
                    return 0;
                }
            }
        }
        collect_signal(sig, pending, info);
    }
    return sig;
}
```

if statement cell

Karpathy, Johnson, and Fei-Fei: Visualizing and Understanding Recurrent Networks, ICLR Workshop 2016
Figures copyright Karpathy, Johnson, and Fei-Fei, 2015; reproduced with permission

Slide Credit: Fei-Fei Li, Justin Johnson, Serena Yeung, CS 231n

Searching for interpretable cells

Cell that turns on inside comments and quotes:

```
/* Duplicate LSM field information. The lsm_rule is opaque, so
 * re-initialized. */
static inline int audit_dupe_lsm_field(struct audit_field *df,
                                     struct audit_field *sf)
{
    int ret = 0;
    char *lsm_str;
    /* our own copy of lsm_str */
    lsm_str = kstrdup(sf->lsm_str, GFP_KERNEL);
    if (unlikely(!lsm_str))
        return -ENOMEM;
    df->lsm_str = lsm_str;
    /* our own (refreshed) copy of lsm_rule */
    ret = security_audit_rule_init(df->type, df->op, df->lsm_str,
                                  (void **)&df->lsm_rule);
    /* keep currently invalid fields around in case they
     * become valid after a policy reload. */
    if (ret == -EINVAL) {
        pr_warn("audit rule for LSM '%s' is invalid\n",
                df->lsm_str);
        ret = 0;
    }
    return ret;
}
```

quote/comment cell

Karpathy, Johnson, and Fei-Fei: Visualizing and Understanding Recurrent Networks, ICLR Workshop 2016

Figures copyright Karpathy, Johnson, and Fei-Fei, 2015; reproduced with permission

Searching for interpretable cells

```
#ifdef CONFIG_AUDITSYSCALL
static inline int audit_match_class_bits(int class, u32 *mask)
{
    int i;
    if (classes[class]) {
        for (i = 0; i < AUDIT_BITMASK_SIZE; i++)
            if (mask[i] & classes[class][i])
                return 0;
    }
    return 1;
}
```

code depth cell

Karpathy, Johnson, and Fei-Fei: Visualizing and Understanding Recurrent Networks, ICLR Workshop 2016
Figures copyright Karpathy, Johnson, and Fei-Fei, 2015; reproduced with permission

Slide Credit: Fei-Fei Li, Justin Johnson, Serena Yeung, CS 231n

Multilayer RNNs

$$h_t^l = \tanh W^l \begin{pmatrix} h_t^{l-1} \\ h_{t-1}^l \end{pmatrix}$$

$h \in \mathbb{R}^n$ $W^l [n \times 2n]$

